





## BATTERY TERMINALS


A collection of tin plated, brass battery terminals to fit standard size tapered battery posts, and a broad range of cable sizes from 10mm<sup>2</sup> to 109mm<sup>2</sup>. The terminals are available with a wide variety of connection methods to ensure excellent electrical contact. Other types and sizes of terminal are available on request.


MACHINED TYPE BRASS BATTERY TERMINALS	Semloh Code	Post Size & Polarity	Cable Cross Section (mm)	Cable Entry Diameter (mm)	Pack Quantity
	V271	Negative -	10mm <sup>2</sup> to 16mm <sup>2</sup>	7.5	10
	V272	Positive +	10mm <sup>2</sup> to 16mm <sup>2</sup>	7.5	10
	V273	Negative -	16mm <sup>2</sup> to 25mm <sup>2</sup>	8.3	10
	V274	Positive +	16mm <sup>2</sup> to 25mm <sup>2</sup>	8.3	10
	V275	Negative -	25mm <sup>2</sup> to 40mm <sup>2</sup>	9.5	10
	V276	Positive +	25mm <sup>2</sup> to 40mm <sup>2</sup>	9.5	10


SCREW TYPE TINNED BATTERY TERMINALS	Semloh Code	Post Size & Polarity	Cable Cross Section (mm)	Cable Entry Diameter (mm)	Pack Quantity
	V277	Negative -	16mm <sup>2</sup> to 25mm <sup>2</sup>	8.7	10
	V278	Positive +	16mm <sup>2</sup> to 25mm <sup>2</sup>	8.7	10
	V279	Negative -	25mm <sup>2</sup> to 40mm <sup>2</sup>	9.5	10
	V280	Positive +	25mm <sup>2</sup> to 40mm <sup>2</sup>	9.5	10
	V281	Negative -	40mm <sup>2</sup> to 60mm <sup>2</sup>	11.1	10
	V282	Positive +	40mm <sup>2</sup> to 60mm <sup>2</sup>	11.1	10
	V283	Negative -	60mm <sup>2</sup> to 70mm <sup>2</sup>	14.3	10
	V284	Positive +	60mm <sup>2</sup> to 70mm <sup>2</sup>	14.3	10

HEXAGONAL NUT TYPE TINNED BATTERY TERMINALS	Semloh Code	Post Size & Polarity	Cable Cross Section (mm)	Cable Entry Diameter (mm)	Pack Quantity
	V285	Negative -	16mm <sup>2</sup> to 25mm <sup>2</sup>	8.3	10
	V286	Positive +	16mm <sup>2</sup> to 25mm <sup>2</sup>	8.3	10
	V287	Negative -	25mm <sup>2</sup> to 40mm <sup>2</sup>	9.2	10
	V288	Positive +	25mm <sup>2</sup> to 40mm <sup>2</sup>	9.2	10
	V289	Negative -	40mm <sup>2</sup> to 60mm <sup>2</sup>	10.9	10
	V290	Positive +	40mm <sup>2</sup> to 60mm <sup>2</sup>	10.9	10
	V291	Negative -	60mm <sup>2</sup> to 70mm <sup>2</sup>	14.1	10
	V292	Positive +	60mm <sup>2</sup> to 70mm <sup>2</sup>	14.1	10

SOLDER TYPE TINNED BATTERY TERMINALS	Semloh Code	Post Size & Polarity	Cable Cross Section (mm)	Cable Entry Diameter (mm)	Pack Quantity
	V293	Negative -	25mm <sup>2</sup> to 40mm <sup>2</sup>	9.5	10
	V294	Positive +	25mm <sup>2</sup> to 40mm <sup>2</sup>	9.5	10
	V295	Negative -	40mm <sup>2</sup> to 60mm <sup>2</sup>	11.1	10
	V296	Positive +	40mm <sup>2</sup> to 60mm <sup>2</sup>	11.1	10
	V297	Negative -	60mm <sup>2</sup> to 70mm <sup>2</sup>	12.7	10
	V298	Positive +	60mm <sup>2</sup> to 70mm <sup>2</sup>	12.7	10
	V299	Negative -	70mm <sup>2</sup> to 109mm <sup>2</sup>	15.9	10
	V300	Positive +	70mm <sup>2</sup> to 109mm <sup>2</sup>	15.9	10

UNIVERSAL CRIMP TYPE TINNED BATTERY TERMINALS	Semloh Code	Post Size & Polarity	Cable Cross Section (mm)	Cable Entry Diameter (mm)	Pack Quantity
	V301	Universal	16mm <sup>2</sup> to 25mm <sup>2</sup>	7.0	10
	V302	Universal	35mm <sup>2</sup> to 50mm <sup>2</sup>	11.0	10

STUD & NUT TYPE TINNED BATTERY TERMINALS	Semloh Code	Marked Polarity	Type of Terminal (mm)	Stud Size (mm)	Pack Quantity
	V303	Negative -	Stud & Wing Nut	10mm Stud	10
	V304	Positive +	Stud & Wing Nut	10mm Stud	10
	V305	Negative -	Stud & Nut	8mm Stud	10
	V306	Positive +	Stud & Nut	8mm Stud	10
	V307	Negative -	Stud & Nut	10mm Stud	10
	V308	Positive +	Stud & Nut	10mm Stud	10

QUICK RELEASE TYPE INSULATED BATTERY TERMINALS	Semloh Code	Marked Polarity	Cable Cross Section (mm)	Cable Entry Diameter (mm)	Pack Quantity
	V309	Blue Negative -	16mm <sup>2</sup> to 50mm <sup>2</sup>	10.5	10
	V310	Red Positive +	16mm <sup>2</sup> to 50mm <sup>2</sup>	10.5	10